
FIRETEX® Platinum-120

formerly known as: Unitherm® Platinum-120

DECLARATION OF PERFORMANCE

DOP No. SW_PL120_v4

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE	FIRETEX® Platinum-120
2	TYPE, PRODUCT OR SERIAL NUMBER	See packaging for batch number. The batch number takes the form 1234567890.
3	INTENDED USE	Reactive coating for the fire protection of structural steel.
4	MANUFACTURER	Sherwin-Williams Coatings Deutschland GmbH Rieter Tal 1 71665 Vaihingen/Enz Germany
5	AUTHORISED REPRESENTATIVE	
6	SYSTEM OF AVCP	System 1
7	CONSTRUCTION PRODUCT COVERED BY A HARMONISED STANDARD	not applicable
8	CONSTRUCTION PRODUCT COVERED BY A EUROPEAN TECHNICAL ASSESSMENT	EAD 350402-00-1106
	European Technical Assessment:	ETA 20/1162 of 05/12/2023
	Technical Assessment Body:	FIRES, S.R.O.
	Notified body:	0761, 1396
	Certificate of Constancy of Performance:	0761-CPR-0972

Sherwin-Williams Coatings Deutschland GmbH
71665 Vaihingen an der Enz · Rieter Tal 1 · Deutschland
Telefon: +49 (0)7042 1090 · Telefax: +49 (0)7042 109180
E-Mail: pm.de.info@sherwin.com · Internet: protectiveeu.sherwin-williams.com

Sitz der Gesellschaft Vaihingen an der Enz · Geschäftsführer James Michael Donchess,
Jeffrey James Miklich, Simon J. Walker, Thomas Kerkmann · HRB 784010 Stuttgart · USt.-ID-Nr.: DE348593765

9 Declared Performance

Essential Characteristics	Performance	Assessment method
Reaction to Fire	Class B – s2, d0	EN 13501-1
Resistance to Fire	(R15 – R120) – IncSlow (I/H Beams and Columns) and (R15 – R120) – IncSlow (Circular and Rectangular / Square Hollow Columns)	EN 13501-2
Dangerous Substances	The product does not contain substances given in Annex XIV of REACH (authorisation list). Reference should be made to the product safety data sheet for classification in accordance with Regulation (EC) No 1272/2008 and information relating to Annex XVII of REACH and Candidate List of substances of very high concern.	EAD350402-00-1106 Clause 2.2.3
Environmental Conditions	Passed exposure conditions X, Y, Z ₂ and Z ₁	EAD350402-00-1106 Clause 2.2.4 and 2.2.5
Primer Compatibility	Two pack epoxy primer Solvent containing single component zinc-phosphate primer Zinc-rich epoxy Single pack high pigmented zinc-rich ethyl silicate primer / Two pack epoxy primer	EAD350402-00-1106 Clause 2.2.4 and 2.2.5

Sherwin-Williams Coatings Deutschland GmbH

71665 Vaihingen an der Enz · Rieter Tal 1 · Deutschland

Telefon: +49 (0)7042 1090 · Telefax: +49 (0)7042 109180

E-Mail: pm.de.info@sherwin.com · Internet: protectiveeu.sherwin-williams.com

Topcoat Compatibility	Acrolon® 2330 FIRETEX® Top SB FIRETEX® Top WB Acrolon® 2230 VHS Acrolon® EG-4 Acrolon® EG-5 Acrolon® PUR Color Plus Macropoxy® 2707	EAD350402-00-1106 Clause 2.2.4 and 2.2.5
-----------------------	--	--

For characteristics not listed above, these are either not relevant or No Performance Determined.

Where pursuant to Article 37 or 38 the Specific Technical Documentation has been used, the requirements with which the product applies:

not applicable

- 9 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of Sherwin-Williams UK Limited, Protective & Marine Division by:



Simon J Hallam
Technical Director
At Bolton, UK 05/03/2024

Sherwin-Williams Coatings Deutschland GmbH
71665 Vaihingen an der Enz · Rieter Tal 1 · Deutschland
Telefon: +49 (0)7042 1090 · Telefax: +49 (0)7042 109180
E-Mail: pm.de.info@sherwin.com · Internet: protectiveeu.sherwin-williams.com

Sitz der Gesellschaft Vaihingen an der Enz · Geschäftsführer James Michael Donchess,
Jeffrey James Miklich, Simon J. Walker, Thomas Kerkmann · HRB 784010 Stuttgart · USt.-ID-Nr.: DE348593765